

CERTIFICATE OF ACCREDITATION

No. S-004

dated 19.03.2024

The Slovak National Accreditation Service issues a Certificate of Accreditation to an accredited body pursuant to Section 26 par.6 of Act No. 53/2023 Coll. on Accreditation of Conformity Assessment Bodies (hereinafter referred to as the "Accreditation Act").

Štátny geologický ústav Dionýza Štúra

Mlynská dolina 3962/1, 817 04 Bratislava – mestská časť Staré Mesto

ID Number: 31 753 604

Organizational unit performing the activity of the Accredited Body:
Geoanalytical laboratories

Workplace of the Accredited Body:
Markušovská cesta 1, 052 40 Spišská Nová Ves


Identification number of the Accredited Body: 042/S-004**Area of accreditation:** Testing laboratory

The calibration laboratory demonstrated its competence to perform the accredited activity fulfilling the accreditation requirements of **ISO/IEC 17025: 2017** Standard when performing chemical, physico-chemical, physical tests of geological materials, fuels, biofuels, combustion products, workplace air, wastes, chemical, physico-chemical, ecotoxicological tests of waters and leaches; sampling of waters and workplace air, as well as subcontracting tests for the purposes of authorized measurements of emissions and expression of opinions and interpretation of test results for the authorized area measurements. within the accreditation scope delineated in the Annex of this Certificate of Accreditation. The Annex shall form an integral part of the Certificate of Accreditation.

Number and date of issue of the accreditation decision: No. 042/11116/2024/2 dated 13.03.2024**Validity of the accreditation decision:**

The accreditation decision No. 042/11116/2024/2 dated 13.03.2024 is valid from 01.04.2024 to 01.04.2029.

The validity of this Accreditation Certificate expires upon the expiry of the accreditation decision, the decision on withdrawal of the accreditation pursuant to Section 31 or the expiry of the accreditation pursuant to Section 32 of the Accreditation Act.


Štefan Král
director